

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	836326	@pd>="20060306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:46
L2	1548	(250/390.1 378/70 378/71 378/86 378/156 378/210).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:46
L3	39	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:59
L4	4719	(250/336.1 250/358.1 250/390.01 250/390.09 250/391 250/393 250/395 250/515.1 378/87 378/88 378/89 378/90).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:56
L5	2597	(beam-stop beam-stopper beamstop beamstopper) (beam adj (stop stopper))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:50
L6	0	4 and 5 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:50
L7	30	4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 15:00
L8	324045	(xray x-ray x adj ray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:51

## EAST Search History

L9	343406	scatter\$3 scatterometer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:54
L10	5214605	detect\$3 sens\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:51
L11	39669	neutron	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:51
L12	33918	(small with angle with (8 11) with 9) ((sans saxs) and (8 11))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:52
L13	6	12 and 5 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 15:02
L14	60664	(8 11) with 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:53
L15	18	5 and 14 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 15:03
L17	98	(5 same (position\$3 displac\$3 transl\$3 manipul\$3 motor)) and ((11 8 (ionizing with radiation)) same 10)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 15:03

## EAST Search History

L18	1257	((5 stop stopper) same 10) and (8 11) and beam and ((position\$3 displac\$3 translat\$3 manipul\$3 motor motoriz\$3) with (5 stop stopper))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:58
L19	5	17 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 15:03
L20	0	18 and 4 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 14:59
L21	1	("2004/0206908").URPN.	USPAT	OR	ON	2006/08/16 15:01
L22	22	((JOACHIM) near2 (LANGE)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/16 15:01
L23	1	((ROLF-DIETER) near2 (SCHIPPER)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/16 15:01